

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/614,053	07/08/2003	Shalini Yajnik	33078/US/2	7518
38598 ANDREWS KU	7590 03/07/2007 URTH LLP	EXAMINER		
1350 I STREET, N.W. SUITE 1100 WASHINGTON, DC 20005			CHAN, SAI MING	
			ART UNIT	PAPER NUMBER
W/151111VG1G1	,, 50 5000		2609	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		03/07/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)
		10/614,053	YAJNIK ET AL.
	Office Action Summary	Examiner	Art Unit
		Sai-Ming Chan	2609
Period fo	The MAILING DATE of this communication ap r Reply	ppears on the cover sheet with the	correspondence address
WHIC - Exter after - If NO - Failui Any r	DRTENED STATUTORY PERIOD FOR REPI HEVER IS LONGER, FROM THE MAILING I sisions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply is specified above, the maximum statutory period e to reply within the set or extended period for reply will, by statu eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be a d will apply and will expire SIX (6) MONTHS fro te, cause the application to become ABANDON	ON. imely filed m the mailing date of this communication. IED (35 U.S.C. § 133).
Status	·	·	
2a)☐ 3)☐	Responsive to communication(s) filed on <u>07/0</u> This action is <b>FINAL</b> . 2b) This since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, p	
Disnositi	on of Claims		΄,
5)□ 6)⊠ 7)□ 8)□ <b>Applicati</b> 9)□ <sup>-</sup>	Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdraward Claim(s) is/are allowed.  Claim(s) 1-20 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/on Papers  The specification is objected to by the Examin The drawing(s) filed on 07/08/2003 is/are: a)  Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction.	ewn from consideration.  or election requirement.  er.  ighthat accepted or b) □ objected to be drawing(s) be held in abeyance. So	ee 37 CFR 1.85(a).
11) 🔲 -	The oath or declaration is objected to by the E	xaminer. Note the attached Offic	e Action or form PTO-152.
12)[] / a)[	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document copies of the priority document copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies of the certified copies of the priority document copies.	nts have been received. Its have been received in Applica prity documents have been receive The properties of the proper	tion No ved in this National Stage
2)	(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail [ 5) Notice of Informal 6) Other:	Date

Art Unit: 2609

#### **DETAILED ACTION**

### **Priority**

Applicant's claim for domestic priority under 35 U.S.C. 119(e) and 120 is acknowledged.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating

obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

Art Unit: 2609

claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-7, 10-12, 14-16, 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Srivastava (U.S. Patent Publication # 20060233155), in view of Lewin et al. (U.S. Patent # 7010578).

Consider **claim 1**, Srivastava clearly discloses and shows a method for routing and caching packets of data in a multicast network (fig. 1A), comprising: receiving a packet having a header section and a payload section (fig. 2A (202 and 208 (packet contains header and content (payload) sections)); inspecting the payload section (paragraph 17, lines 1-4) of the packet in a network core for use in determining how to route the packet (paragraph 18, lines 6-9) to subscribers; selectively routing the packet (paragraph 18, lines 9-13) based upon the inspecting.

However, Srivastava does not specially disclose a locally caching data from the packet in the network core.

In the same field of endeavor, Lewin et al. clearly show a locally caching data (column 6, lines 9-33; fig. 4 (404 and 406), CDN holds CIDR block which contains

Page 4

packets (column 9, Table 1, CIDR packet loss, CIDR packet latency)) from the packet in the network core.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and allow data to be locally cached, as taught by Lewin et al. in order to improve the efficiency of data retrieval.

Consider claim 2, and as applied to claim1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method, further including performing the inspecting step (paragraph 18, lines 6-9) at a router.

Consider claim 3, and as applied to claim1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method wherein the inspecting step includes applying a filter (paragraph 17, lines 1-4 (edge router compares the label in the packet with its label forwarding information base (paragraph 18, lines 1-3) to determine where and how to forward the frame)) to information in the payload section.

Consider claim 4, and as applied to claim 3 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method, further including propagating the filter (paragraph 18, lines 1-3 edge router compares the label in the packet with its label

Art Unit: 2609

0000

forwarding information base to determine where and how to forward the frame ()) to a router in the network for use in performing the inspecting.

Consider **claim 5**, and **as applied to claim 1 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the method, further including programming a router in the network for performing the receiving, inspecting, and routing steps (paragraph 18, lines 3-13).

Consider claim 6, and as applied to claim 1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method wherein the inspecting step includes inspecting attributes for use in determining how to route the packet (paragraph 18, lines 6-9).

Consider claim 7, and as applied to claim 1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show the time marking of the cached data.

In the same field of endeavor, Lewin et al. clearly show the time marking (column 4, lines 57-61 (time-to-live)) of the cached data.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and the marking of the

Art Unit: 2609

cached data, as taught by Lewin et al., so that data content sent to clients will always be up-to-date.

Consider **claim 10**, and **as applied to claim 1 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show that data is cached at the edge router.

In the same field of endeavor, Lewin et al. clearly show the data is locally cached from the packet at an edge routing node (fig. 4 (404 (cache) and 406 (CDN edge server))).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and cache the data at the edge router, as taught by Lewin et al., in order to enhance the data transmission efficiency.

Consider **claim 11**, and **as applied to claim 1 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show that expired cached data will be removed or refreshed.

In the same field of endeavor, Lewin et al. clearly show the cached data after the expiration (column 4, lines 61-62) of a time frame T will be removed.

Therefore it would have been obvious to a person of ordinary skill in the art at the

Art Unit: 2609

time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and remove expired cached data, as taught by Lewin et al., in order to guarantee that the data content is always

up-to-date.

Consider **claim 12**, Srivastava clearly discloses and shows a network as described. However, Srivastava does not specially disclose the edge and intelligent routers, cache manager and local caching of packet data.

In the same field of endeavor, Lewin et al. clearly show and disclose edge routers (fig. 2 (202)), intelligent routers (fig. 2 (edge router #2 – intelligent routers are edge routers with intelligence so that it can perform route inspection and selection), and a cache manager (fig. 3 (NOC, column 2, lines 59-64)), which is operatively connected to the intelligent router. The cache manager also includes instructions for locally caching data from the packets in a local cache ((fig. 4 (404 and 406));

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and edge router, intelligent routes and cache manager, as taught by Lewin et al. so that data transmission can be done in a very efficient manner.

Consider claim 14, and as applied to claim 12 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the network, wherein the router inspects the payload (fig. 2A (202 and 208 (packet contains header and content (payload) sections)))

Art Unit: 2609

section of the packets in a network core for use in determining how to route the packets (paragraph 18, lines 6-9) to subscribers; and selectively routes the packets (paragraph 18, lines 9-13) based upon the inspecting.

However, Srivastava, as modified by Lewin et al., does not specially disclose the edge and intelligent routers, cache manager and local caching of packet data.

In the same field of endeavor, Lewin et al. clearly show one or more core routing nodes (edge server #2) is directly upstream (steps 3 & 4) from the edge routing node, the directly upstream core routing node including: edge routers (fig. 2 (202)), an intelligent routers (fig. 2 (edge router #2 – edge router with intelligence for route inspection and selection), a cache manager (fig. 3 (NOC)), operatively connected to the intelligent router, the cache manager including instructions for: locally caching data from the packets in a local cache ((fig. 4 (404 and 406));

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and edge router, intelligent routes and cache manager, as taught by Lewin et al. so that data can be transmitted efficiently.

Consider **claim 15**, and **as applied to claim 12 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the network as described. However, Srivastava, as modified by Lewin et al., fails to show the channel manager and the channels.

In the same field of endeavor, Lewin et al. clearly a plurality of channel manager (fig. 3 (NOC)) that provide properties for a plurality of channels (fig. 2 (links between 202 and edge server #2; links between 202 and client's servers; links between 202 and

computer).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and a channel linkage, as taught by Lewin et al. so that the load and distribution of resources are enhanced.

Consider claim 16, and as applied to claim 12 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the cache manager (fig. 3 (NOC)) as described. However, Srivastava, as modified by Lewin et al., fails to show the time marking of the cached data.

In the same field of endeavor, Lewin et al. clearly show the time marking (column 4, lines 57-61) of the cached data.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and the marking of the cached data, as taught by Lewin et al., so that the data content will always be up-to-date.

Consider claim 19, Srivastava clearly discloses and shows an apparatus for routing and caching packets of data in a multicast network, the apparatus including a plurality of processors (fig. 1A) and instructions for: receiving a packet having a header section and a payload section (fig. 2A (202 & 208 (packet contains header and content (payload) sections))); inspecting the payload section of the packet (paragraph 17, lines

1-4) in a network core for use in determining how to route the packet (paragraph 18, lines 6-9) to subscribers; selectively routing the packet (paragraph 18, lines 9-13) based upon the inspecting.

However, Srivastava does not specially disclose a locally caching data from the packet in the network core.

In the same field of endeavor, Lewin et al. clearly show a locally caching data (column 6, lines 9-33; fig.4 (404 and 406), CDN holds CIDR block which contains packets (column 9, Table 1, CIDR packet loss, CIDR packet latency)) from the packet in the network core.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and to cache data in a local server, as taught by Lewin et al., so that the efficiency of data retrieval will be greatly enhanced.

Consider claim 20, and as applied to claim 19 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show the two processors; one caches the data locally and the other perform inspecting and route selection.

In the same field of endeavor, Lewin et al. clearly discloses and shows the apparatus, wherein the plurality of processors (fig. 1(102a and 102b)) include a first processor (fig. 2 (202)) and a second processor (fig. 2 (Edge server #2), wherein the first processor executes the inspecting and selectively routing instructions (fig.2 (Edge server #2)) and the second processor executes the locally caching instruction (fig. 2

(steps 3 and 4)).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network for routing and caching, as taught by Srivastava, and processors that cache data, inspect request and perform route selection, as taught by Lewin et al., so that the efficiency of data transmission will be greatly improved.

Claims 8-9, 13 and 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Srivastava (U.S. Patent Publication # 20060233155), in view of Lewin et al. (U.S. Patent # 7010578), as applied to claim 1 above and further in view of Lango (U.S. Patent # 6813690).

Consider claim 8, and as applied to claim 1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show the indexing of the cached data.

In the same field of endeavor, Lango et al. clearly show the indexing (column 18, lines 58-64; fig. 5) of the cached data.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and the cached data is indexed, as taught by Lango, in order to enhance data retrieval.

Consider claim 9, and as applied to claim 1 above, Srivastava, as modified by Lewin et al., clearly discloses and shows the method as described. However, Srivastava, as modified by Lewin et al., fails to show that the server receives a request for data and determines if the cached data is the requestor wants.

In the same field of endeavor, Lango et al. clearly show the server receives a request for data (column 3, lines 32-34); and determines whether the cached data satisfies (column 3, lines 34-51) the request.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and provide the ability to handle request and verify the cached data before transmission, as taught by Lango, in order to guarantee the accuracy of data content sent.

Consider **claim 13**, and **as applied to claim 12 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the network as described. However, Srivastava, as modified by Lewin et al., fails to show the agent and the edge servers.

In the same field of endeavor, Lewin et al. clearly show an agent (fig. 3 (mapping agent)), operatively connected to the edge routing node (fig. 3 (edge servers), as described.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and an agent connected to the edge server, as taught by Lewin et al. so that incoming data or messages are

Art Unit: 2609

mapped to the corresponding router.

However, Srivastava, as modified by Lewin et al., fails to show how the cached data is located, retrieved and processed.

In the same field of endeavor, Lango et al. clearly show the instructions for: determining (column 3, lines 22-32) location of cached data; retrieving cached data (column 3, lines 32-51) from the local cache; and processing retrieved cache data (column 3, lines 32-51).

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and to have an agent for the edge server, as taught by Lewin et al. and to locate and retrieve cached data, as taught by Lango, so that data content can be sent efficiently.

Consider **claim 17**, and **as applied to claim 12 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the cache manager (fig. 3 (NOC)) as described. However, Srivastava, as modified by Lewin et al., fails to show the indexing of the cached data.

In the same field of endeavor, Lango et al. clearly show the indexing (column 18, lines 58-64; fig. 5) of the cached data.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and the cached data is

indexed, as taught by Lango, so that cached data can be retrieved efficiently.

Consider **claim 18**, and **as applied to claim 12 above**, Srivastava, as modified by Lewin et al., clearly discloses and shows the cache manager (fig. 3 (NOC)) as described. However, Srivastava, as modified by Lewin et al., fails to show that the server receives a request for data and determines if the cached data is the requestor wants.

In the same field of endeavor, Lango et al. clearly show the server receives a request for data (column 3, lines 32-34); and determines whether the cached data satisfies (column 3, lines 34-51) the request.

Therefore it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a multicast network with routing and caching, as taught by Srivastava, as modified by Lewin et al., and provide the ability to handle request and verify the cached data before transmission, as taught by Lango, so that the accuracy of data content is guaranteed.

#### Conclusion

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

# Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Sai-Ming Chan whose telephone number is (571) 270-1769. The Examiner can normally be reached on Monday-Thursday from 6:30am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Rafael Pérez-Gutiérrez can be reached on (571) 272-7915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 571-272-4100.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Sai-Ming Chan S.C./sc

February 21, 2007

2107